JOHN QUAIF
RPII AI113
PIPA 246
Qualified RPII / PIPA
Tester for Inflatables
and Games
JOHNQUAIF@YAHOO.COM
07966 375 571



PAUL QUAIF
RPII AI112
PIPA 264
Qualified RPII / PIPA
Tester for Inflatables
and Games
PAULQUAIF58@GMAIL.COM
07968 375 570

15 LARKSWOOD ROAD, CHINGFORD, LONDON, E4 9DS Paul: 07966 375 570 John: 07966 375 571

Company Name	funday		Address	Coppingers House
Telephone No	0870011	3993		West End RD
Email	Tony Of	nday LTD-	com	C05 0 QH

Serial No	FD 1087	Date of Inspection	29-7-2025
Name of Inspector	John quaif	Expiry Date of Inspection	28-7-2026
Inflatable Type	game	Size (L x W x H) (m)	12"x6"x1.8"
Theme	Human Table Foot	Manufacturer	Airquee
Place of Inspection	CHIBIRZ	Date of Manufacture	NOT KNOWN

Structure			Anchorage			1	Blower	
Seams and webbing	V		Condition of anchor points		V	ľ	Suitability	V
Bed panels and steps firm //	VA	١,	Type of anchor point web	24	ee.		Inlet and outlet mesh	V
Walls and towers firm	V		Number of anchors	16	V		Cable and plug	V
Grounding N∕	VA	١,	Anchor accessories		V		Impeller	V
Sharp angles	V		Structural Materials			0	Return Flap	V
Pressure (KPA) 1 · 2 ≤	V		Zips	4	V		PAT test //	Ā
Entrapment	V		Ropes	M	A	_	Blower type/electric	V
Stability	V		Windows/netting		V		Motor cover/casing	1
Deflation/Evacuation time	$\vee$		Slides				Inhouse tested (PAT)	W
Air loss	V		Slide platform height (m)	$\setminus$			Blower size (Hp)	5×2
Markings	~	r	Height of walls (1st m)	1			Blower tube length (m)	25
Identification	V	r	Height of walls (remainder)				Number of blowers (this unit)	5
Artwork (no significant peeling)	HA		Platform wall height (m)				Petrol blowers only	2
Bed height (m) N	A		Run out (m)		\		Play area (L x W) (m)	X4-5
Open side fall off height (m)	TA		Clamber net/foam/ladder				Number of users and user heigh	jht
Step and ramp size (m) //	A		Slide sheet				Maximum user height (m)	. 8.
Internal wall height (m) / ·	03		Totally Enclosed Struct	ure	_		Maximum users at 1.0m	10
Stitching	V		Exits and markings				Maximum users at 1.2m	10
Trough depth	A	_	Deflation of user area	1			Maximum users at 1.5m	10
Fabric (fire retardant)	V	r.	Pressure or user area		1		Maximum users at 1.8m	10
Fabric (strength)	V		INSPECTION RESULTS	5			Customise max user height	$\times$
Thread (non-rotting)	\	1	PASS (P) FAIL (F)				Maximum users at customised height	×

Notes / Risk Assessment:	Signature of tester			
	Paul Quaif			
	John Quaif			
	711			

COMMENTS:

This unit must always be used with 2 inch thick, high density crash mats on all entrances and exits at a minimum of 1.2m from the unit. DO NOT operate in wind speeds in excess of 24mph/38kph. This unit must always be supervised by a competent adult who is capable of exercising authority over the users. I certify that the above equipment has been inspected to standards as indicated and complies with the current health and safety notes on inflatable play, BSEN14960 has been adopted where appropriate on the above inspection report. If the above equipment is an inflatable used for part of a game, I deem this item fit for purpose. All anchor points must be used to secure the unit to the ground at all times.